Patent US 400C2 Attorney Docket: 612,404-424

We Claim:

1. A method for forming a multiple identity substrate material comprising the steps of:

providing a first affinity sequence at multiple locations on a support;
providing a functionalized second affinity sequence, which reacts with the first
affinity sequence, and has an unhybridized overhang sequence; and
selectively cross-linking first affinity sequences and second affinity sequences.

- 2. The method of claim 1, wherein the cross-linking is performed by UV irradiation of psoralen.
- 3. The method of claim 1, wherein at least one location on the support with the first affinity sequence is masked to prevent cross-linking of the first and second affinity sequences.
- 4. The method of claim 1, wherein the first affinity sequence is covalently attached to the support.
- 5. The method of claim 4, wherein the support is reacted with aminopropyltriethoxysilane (APS) reagent before the first affinity sequence is attached.
- 6. The method of claim 4, wherein the first affinity sequence is reacted to form a dialdehyde group at a terminal position of the first affinity sequence.
- 7. The method of claim 1, further comprising the steps of:
 dehybridizing the second affinity sequences that are not cross-linked;
 providing a functionalized third affinity sequence, which reacts with the second
 affinity sequence, and has an unhybridized overhang sequence; and
 selectively cross-linking the second and third affinity sequences.
- 8. The method of claim 8, wherein the cross-linking is performed by UV irradiation with psoralen.

IR1:1045411.1

Patent US 400C2 Attorney Docket: 612,404-424

9. The method of claim 7, wherein at least one location on the support is masked to prevent cross-linking of the second and third affinity sequences.

- 10. The method of claim 1, further comprising providing a fourth affinity sequence that hybridizes with the first affinity sequence and includes a fluorescent label.
- 11. The method of claim 1, further comprising providing a fifth affinity sequence that hybridizes with the second affinity sequence and includes a fluorescent label.
- 12. The method of claim 7, further comprising a sixth affinity sequence that hybridizes with the third affinity sequence and includes a fluorescent label